

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	221	((search\$5 detect\$5 look\$5 find\$5) near5 (address identifier identification)) with ((nearby proximity neighbor\$5 neighbour\$5) near5 (device apparatus appliance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:41
L2	235	((search\$5 detect\$5 look\$5 find\$5) near5 (address identifier identification)) with ((nearby proximity neighbor\$5 neighbour\$5 periphery) near5 (device apparatus appliance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:41
L3	20	l2 and (bluetooth near5 (address identifier identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:42
L4	3	l3 and (security adj1 (setting configuration parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:43
L5	4	l3 and ((chang\$5 adjust\$5 manipul\$5 configur\$5) near5 (setting configuration parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:44
L6	1	l5 not l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:44
L7	106	l2 and (environment domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:46
L8	27	l7 and ((chang\$5 adjust\$5 manipul\$5 configur\$5) near5 (setting configuration parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:46
L9	6	l7 and ((chang\$5 adjust\$5 manipul\$5 configur\$5 set\$5 assign\$5) near8 (security adj1 (setting configuration parameter criteria level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:49
L10	7	l2 and ((chang\$5 adjust\$5 manipul\$5 configur\$5 set\$5 assign\$5) near8 (security adj1 (setting configuration parameter criteria level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:51
L11	1	l10 not l9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 10:52

L12	271	((search\$5 detect\$5 look\$5 find\$5 acquir\$5 collect\$5) near5 (address identifier identification)) with ((nearby proximity neighbor\$5 neighbour\$5 another) near5 (device apparatus appliance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:03
L13	7	l12 and (determin\$5 near5 environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:03
L14	1	l12 and ((office and home) near5 (security adj1 (setting configuration parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:05
L15	5	l12 and ((office or home or location) near5 (security adj1 (setting configuration parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:06
L16	8669	((chang\$5 adjust\$5 manipul\$5 configur\$5 set\$5 assign\$5) near8 (security adj1 (setting configuration parameter criteria level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:07
L17	170	l16 and ((office home location) near5 (security adj1 (setting configuration parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:07
L18	319	l16 and ((office home location) near5 (security adj1 (setting configuration parameter level criteria mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:07
L19	6	l18 and l12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:08
L20	467	l16 and ((office home location environment) near5 (security adj1 (setting configuration parameter level criteria mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:09
L21	11	l20 and ((identif\$5 find\$5 detect\$5) with ((device apparatus) near6 (periphery proximity nearby neighbor\$5 neighbour\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:11
L22	0	"6795688.pn.,20050164675,7143129.pn.,7400878.pn.,6556819.pn.,20020068562,20020123325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:15
L23	0	"6795688.pn. and 20050164675 and 7143129.pn. and 7400878.pn.6556819.pn.,20020068562,20020123325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:16

L24	0	"6795688".pn. and "20050164675" and "7143129".pn. and "7400878".pn. and "6556819".pn. and "20020068562" and "20020123325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:17
L25	2	"6795688".pn. "20050164675" and "7143129".pn. and "7400878".pn. and "6556819".pn. and "20020068562" and "20020123325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:17
L26	18	"6795688".pn. "20050164675" "7143129".pn. "7400878".pn. "6556819".pn. "20020068562" "20020123325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:17
S1	2158	((chang\$5 manipul\$5 adjust\$5 configur\$5) with (security adj1 (setting configuration)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 10:22
S2	1	((((chang\$5 manipul\$5 adjust\$5 configur\$5) near5 (security adj1 (setting configuration))) with (usage adj1 environment)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 10:23
S3	13	((chang\$5 manipul\$5 adjust\$5 configur\$5) with (security adj1 (setting configuration))) same ((home office) and mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 10:25
S4	2	"20060090200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:50
S5	188167	((search\$5 detect\$5 look\$5) near5 (address identifier identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:52
S6	3	S5 and (((chang\$5 manipul\$5 configur\$5) near5 (security near3 setting)) with (usage adj1 environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:54
S7	3	S5 and (((chang\$5 manipul\$5 configur\$5) with (security near3 (setting configuration))) with (usage adj1 environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:56
S8	53	S5 and (((chang\$5 manipul\$5 configur\$5) with (security near3 (setting configuration))) with environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:57
S9	50	S8 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:57

S10	17	S5 and (((chang\$5 manipul\$5 configur\$5) with (security near3 (setting configuration)))) with ((domain environment) near3 (security adj1 (level setting configuration))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:01
S11	4	((search\$5 detect\$5 look\$5) near5 (address identifier identification)) with (nearby adj1 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:03
S12	170	((search\$5 detect\$5 look\$5) near5 (address identifier identification)) with ((nearby proximity neighbor\$5) near5 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:04
S13	166	S12 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:04
S14	225	((search\$5 detect\$5 look\$5) near5 (address identifier identification)) with ((nearby proximity neighbor\$5 periphery) near5 (device apparatus computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:11
S15	4	S14 and (((chang\$5 manipul\$5 configur\$5 set\$5) with (security near3 (setting configuration)))) with ((domain environment) near3 (security adj1 (level setting configuration))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:13
S16	4	S14 and (((chang\$5 manipul\$5 configur\$5 set\$5) with (security near3 (setting configuration)))) with (domain environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:15
S17	0	S14 and (((chang\$5 manipul\$5 configur\$5 set\$5) near7 (security near3 (setting configuration)))) with ((impos\$5 enforc\$5 dictat\$5) near5 (domain environment))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:16
S18	1	S14 and (((chang\$5 manipul\$5 configur\$5 set\$5) near7 (security near3 (setting configuration)))) with ((impos\$5 enforc\$5 dictat\$5 associat\$5) near5 (domain environment))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:17
S19	1	S14 and (((chang\$5 manipul\$5 configur\$5 set\$5) near7 (security near3 (setting configuration)))) with ((impos\$5 enforc\$5 dictat\$5 associat\$5) near5 (domain environment location))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:17
S20	1	S14 and (((chang\$5 manipul\$5 configur\$5 set\$5) near7 (security near3 (setting configuration parameters)))) with ((impos\$5 enforc\$5 dictat\$5 associat\$5) near5 (domain environment location))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:18
S21	440	((search\$5 detect\$5 look\$5) near5 (address identifier identification)) same ((nearby proximity neighbor\$5 periphery) near5 (device apparatus computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:19

S22	1	S21 and (((chang\$5 manipul\$5 configur\$5 set\$5) near7 (security near3 (setting configuration parameters))) with ((impos\$5 enforc\$5 dictat\$5 associat\$5) near5 (domain environment location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:19
S23	0	S22 not S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:19
S24	1	S21 and (((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5) near7 (security near3 (setting configuration parameters))) with ((impos\$5 enforc\$5 dictat\$5 associat\$5) near5 (domain environment location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:20
S25	4	S21 and (((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5) near7 (security near3 (setting configuration parameters))) with (domain environment location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:21
S26	3	S25 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:21
S27	802	(((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5) near7 (security near3 (setting configuration parameters))) with (domain environment location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:21
S28	33	S27 and (other near5 (device apparatus computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:22
S29	0	(((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5) near7 (security near3 (setting configuration parameters))) same ((other near5 (device apparatus computer)) with (domain environment location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:24
S30	0	(((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5) near7 (security near3 (setting configuration parameter))) same ((other near5 (device apparatus computer)) with (domain environment location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:25
S31	7	(((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5) near7 (security near3 (setting configuration parameter))) same (((other nearby proximity periphery neighbor\$5 neighbour\$5) near5 (device apparatus computer)) with (domain environment location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:26
S32	7	(((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5 adjust\$5 judg\$5) near7 (security near3 (setting configuration parameter))) same (((other nearby proximity periphery neighbor\$5 neighbour\$5) near5 (device apparatus computer)) with (domain environment location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:26

S33	8	((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5 adjust\$5 judg\$5 select\$5) near7 (security near3 (setting configuration parameter level))) same (((other nearby proximity periphery neighbor\$5 neighbour\$5) near5 (device apparatus computer)) with (domain environment location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:45
S34	15761	((chang\$5 manipul\$5 configur\$5 set\$5 assign\$5 adjust\$5 judg\$5 select\$5) near7 (security near3 (setting configuration parameter level)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:46
S35	3120	S34 and ((acquir\$5 get\$5 detect\$5) with (identifier identification address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:49
S36	397	S35 and (determin\$5 near5 (domain environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:51
S37	38	S36 and ((prescribed recommended default) near5 (domain environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:53
S38	280	S36 and ((find\$5 look\$5 detect\$5) near7 (device apparatus computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:56
S39	27	S38 and ((prescribed recommended default) near5 (domain environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:56
S40	1	S38 and ((prescribed recommended) near5 (security adj1 (setting configuration parameter level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:57
S41	49	S34 and ((prescribed recommended) near5 (security adj1 (setting configuration parameter level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:58
S42	5	S35 and ((prescribed recommended) near5 (security adj1 (setting configuration parameter level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:58
S43	44	S41 not S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:00

S44	8455	((select\$5 set\$5 assign\$5 configur\$5) near7 (security adj1 (setting configuration parameter level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:04
S45	140	S44 and (((other neighbor\$5 neighbour\$5 nearby proximity periphery) near5 (device apparatus)) with (environment location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:05
S46	140	S45 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:05
S47	1	"6002427".PN.	USPAT; USOCR	OR	ON	2008/12/02 14:29
S48	1	"6189105".PN.	USPAT; USOCR	OR	ON	2008/12/02 14:30
S49	1	"6556819".PN.	USPAT; USOCR	OR	ON	2008/12/02 14:31
S50	1	"6651173".PN.	USPAT; USOCR	OR	ON	2008/12/02 14:32
S51	1	"20020068562".PN.	US-PGPUB	OR	ON	2008/12/02 14:32
S52	1	"20020090913".PN.	US-PGPUB	OR	ON	2008/12/02 14:33
S53	1	"20020095222".PN.	US-PGPUB	OR	ON	2008/12/02 14:35
S54	10	S44 and (((other neighbor\$5 neighbour\$5 nearby proximity periphery) near5 (device apparatus)) with ((identification identifier address) adj1 (information content data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:49
S55	8460	((select\$5 set\$5 assign\$5 configur\$5 pick\$5) near7 (security adj1 (setting configuration parameter level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:55
S56	6	S55 and (((query\$5 search\$5) near5 (devices apparatus)) with (nearby periphery ("same" near5 (environment domain))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:59
S57	3	S55 and (((query\$5 search\$5 detect\$5 find\$5) near5 ((identifier address identification) near3 (devices apparatus))) with (nearby periphery ("same" near5 (environment domain))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:01
S58	0	S57 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:01
S59	8	(((query\$5 search\$5 detect\$5 find\$5) near5 ((identifier address identification) near3 (devices apparatus))) with (nearby periphery ("same" near5 (environment domain))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:01

S60	5	S59 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:02
S61	2	"20030046260"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:06

12/ 4/ 08 11:18:50 AM

C:\ Documents and Settings\ ASherkat\ My Documents\ EAST\ Workspaces\ 10510913.wsp